


Ti-Bone™ 15 Oz. Titanium

Stronger, lighter and 10 times less recoil than Steel hammers



Ti-Bone Titanium Straight 18" handle with removable Steel milled face TB15SS UPC#(662560 150023)

Ti-Bone Titanium Straight 18" handle with removable Steel smooth face






TB-SR UPC#(662560 150122) Smooth face repl. kit



TB-MR UPC#(662560 150115) Milled face repl. kit



Ti-Bone™ Replacement Face Kits include items shown



15 OZ TITANIUM "Ti-Bone™" PRODUCT SPECIFICATIONS



Ordering Information

Item Codes......TB15MS, TB15SS, TB15MC, TB15SC, TB-MR, TB-SR

Minimum Order.....1

Lead Time......24 hrs (in stock)

Product Dimensions

Head weight......15 0z. Titanium

Face Styles...............1.5" corrugated or smooth (Steel replaceable)

Handle Styles......18" Curved or 18" Straight Titanium handle

Overall Length......17.5"

Shipping Details

Carton Quantity.....1 pc.

Carton Weight......12.5 lbs

Carton Dimensions.....(H) 5" x (L) 20.5" x (W) 7"

Master Pack Quantity......10 pcs.

Master Pack Weight......21.5 lbs


Master Pack Dimensions.....(H) 10.5" x (L) 21" x (W) 14.75"

- 10 times less recoil shock than Steel shafted hammers
- Lightweight 15 oz. Titanium head eases fatigue, yet it's driving force equals 28 oz steel.
- · Magnetic nail start feature on nose of the hammer for easy one-handed nail sets.
- Ergonomically contoured handle grip is made of a new Patented rubber compound that breathes and absorbs moisture while dispersing residual shock.
- · Replaceable Steel faces for extended tool life.
- · Straight claw design with improved nail pulling performance.



Titan™ 14 oz. Titanium

The original Titanium framing hammer!



Titan 14 oz. milled face w/ 18" straight Hickory handle

Ti14SS (662560 140031)

Titan 14 oz. smooth face w/ 18" straight Hickory handle



Ti14MS-16 (662560 141618)

Titan 14 oz. milled face w/ 16" straight Hickory handle

Ti14SS-16 (662560 141632)

Titan 14 oz. smooth face w/ 16" straight Hickory handle



Ti14MC-16 (62560 140154)

Titan 14 oz. milled face w/ 16" curved Hickory handle

Ti14SC-16 (62560 140168)

Titan 14 oz. smooth face w/ 16" curved Hickory handle



Titanium Smooth face



Titanium Milled face



TITAN 14 OZ. TITANIUM PRODUCT SPECIFICATIONS



Ordering Information

Item Codes.....Ti14MC, Ti14SC, Ti14MS, Ti14SS, Ti14MC-E, Ti14MS-E

Minimum Order.....1

Lead Time......24 hrs (in stock)

Product Dimensions

Head weight......14 0z. Titanium

Face Styles......1.5" x 030" Milled or smooth

Handle Styles......18" Curved, 18" Straight, 16" Curved, 16" Straight, Hickory

Overall Length......17.5"

Shipping Details

Carton Quantity......6 pcs.

Carton Weight......9.3 lbs

Carton Dimensions.....(H) 5" x (L) 20.5" x (W) 7"

Master Pack Quantity......24 pcs.

Master Pack Weight.....38 lbs

Master Pack Dimensions.....(H) 10.5" x (L) 21" x (W) 14.75"

- · Less recoil shock than Steel hammers
- · Lightweight Titanium head eases fatigue, yet it's driving force equals 24 oz steel.
- · Magnetic nail start feature on nose of the hammer for easy one-handed nail sets.
- Ergonomic American Hickory Curved Axe style handles for greater swing leverage.
- · SureHold® wedges assure a solid head-to-handle connection.
- · Straight claw design with improved nail pulling performance.



Titan 12 Oz. Titanium "Remodeler"

Sweetest decking, siding, and trim hammer you'll ever swing!



Titan 12 oz. smooth face w/ 18" straight Hickory handle

New in 2003!

Ti12MC UPC#(662560 120026)
Titan 12 oz. milled face w/ 18" curved Hickory handle
Ti12SC UPC#(662560 120040)
Titan 12 oz. smooth face w/ 18" curved Hickory handle

Ti12MS-16 UPC#(662560 121610)

Titan 12 oz. milled face w/ 16" straight Hickory handle

Ti12SS-16 UPC#(662560 121634)

Titan 12 oz. smooth face w/ 16" straight Hickory handle



Ti12MC-16 UPC#(662560 120031)

Titan 12 oz. milled face w/ 16" curved Hickory handle

Ti12SC-16 UPC#(662560 120632)

Titan 12 oz. smooth face w/ 16" curved Hickory handle



Titanium Smooth face



Titanium Milled face



TITAN 12 OZ. TITANIUM "Re-Modeler" PRODUCT SPECIFICATIONS



Ordering Information

Item Codes......Ti12MC, Ti12MS, Ti12SC, Ti12SS, Ti12MC-16", Ti12SC-16

Minimum Order.....1

Lead Time.....24 hrs (in stock)

Product Dimensions

Head weight......12 0z. Titanium

Face Styles......1.5" x 030" Milled or smooth

Handle Styles......18" Curved, 18" Straight,16" Curved, 16" Straight Hickory

Overall Length......17.5".

Shipping Details

Carton Quantity......6 pcs.

Carton Weight......8.7 lbs.

Carton Dimensions.....(H) 5" x (L) 20.5" x (W) 7"

Master Pack Quantity......24 pcs.

Master Pack Weight......36.3 lbs.

Master Pack Dimensions......(H) 10.5" x (L) 21" x (W) 14.75"

- · Less recoil shock than Steel hammers
- · Lightweight 12 oz Titanium head eases fatigue, yet the driving force equals a 21 Oz. steel.
- · Magnetic nail start feature on nose of the hammer for easy one-handed nail sets.
- · Ergonomic American Hickory handles for greater swing leverage.
- · SureHold® wedges assure a solid head-to-handle connection.
- · Straight claw design with improved nail pulling performance.



Titan 16 oz. Titanium "MuscleHead"

The Titanium framing hammer with the most muscle!













Titanium Milled face



TITAN 16 OZ "MuscleHead" TITANIUM PRODUCT SPECIFICATIONS



Ordering Information

Item Codes......Ti16MC, Ti16SC, Ti16MS, Ti16SS, Ti16MP, Ti16SP

Minimum Order.....1

Lead Time......24 hrs (in stock)

Product Dimensions

Head weight......16 0z. Titanium

Face Styles......1.5" x 030" Milled or smooth

Overall Length......17.5".

Shipping Details

Carton Quantity......6 pcs.

Carton Weight......10.5 lbs. Hickory, 11 lbs. Poly/FG hdl.

Carton Dimensions.....(H) 5" x (L) 20.5" x (W) 7"

Master Pack Quantity.....24 pcs.

Master Pack Weight......40 lbs.

Master Pack Dimensions.....(H) 10.5" x (L) 21" x (W) 14.75"

- · Less recoil shock than Steel hammers
- Lightweight 16 oz Titanium head eases fatigue, yet it's driving force equals 30 oz steel.
- · Magnetic nail start feature on nose of the hammer for easy one-handed nail sets.
- · Ergonomic American Hickory Curved Axe style handles for greater swing leverage.
- · SureHold® wedges assure a solid head-to-handle connection.
- Curved Rip-Claw design.



TITAN 10 OZ. "Finisher" TITANIUM & PRODUCT SPECIFICATIONS

FH10S UPC#(662560 171028)

Titan 10 oz. smooth face w/ 16" straight Hickory handle

FH10-C UPC#(662560 171011)

Titan 10 oz. smooth face w/ 14 1/2" curved Hickory handle



Product Codes......FH10-C, FH10-S

Minimum Order.....1

Lead Time.....24 hrs (in stock)

Product Dimensions

Head weight......10 0z. Titanium

Face Styles......1.30" Smooth only

Handle Styles......14.5" Curved, 16" Straight.

Overall Length......15", 16.5"

Shipping Details

Carton Quantity......6 pcs.

Carton Weight......7.15 lbs.

Carton Dimensions.....(H) 5" x (L) 20.5" x (W) 7"

Master Pack Quantity......24 pcs.

Master Pack Weight......29.65 lbs.

Master Pack Dimensions......(H) 10.5" x (L) 21" x (W) 14.75"

- · Less recoil shock than Steel finish hammers
- · Lightweight 10 oz Titanium head eases fatigue, yet it's driving force equals 16 oz steel hammers.
- · Ergonomic American Hickory Curved Axe style handles for greater swing leverage.
- · SureHold® wedges assure a solid head-to-handle connection.
- · Curved claw design with improved nail pulling performance.



21 Oz. STEEL "Renegade" PRODUCT SPECIFICATIONS



Ordering Information

Item Codes......REN21MC, REN21MS, REN21SC, REN21SS, REN21MCE

Minimum Order.....1

Lead Time......24 hrs (in stock)

Product Dimensions

Head weight......21 0z. Steel

Face Styles......1.5" Corrugated or Smooth

Handle Styles......18" Curved, 18" Straight , 18" Curved Epoxy, 18" Straight Epoxy

Overall Length......17.5".

Shipping Details

Carton Quantity......6 pcs.

Carton Weight......10.5 lbs.

Carton Dimensions.....(H) 5" x (L) 20.5" x (W) 7"

Master Pack Quantity......24 pcs.

Master Pack Weight......41 lbs.


Master Pack Dimensions.....(H) 10.5" x (L) 21" x (W) 14.75"

- · More durable face than competitive Steel hammers
- · 21 oz polished Steel head "standard of the west"
- · Magnetic nail start feature on nose of the hammer for easy one-handed nail sets.
- Ergonomic American Hickory Curved Axe style handles for greater swing leverage.
- · SureHold® wedges assure a solid head-to-handle connection.
- · Straight claw design with improved nail pulling performance.



Renegade 21 Oz. Steel

The first production framing hammer with the Magnetic Nail Starter.



REN21MC - UPC(662560 210024)
Renegade Steel 21 oz. milled face w/ 18" curved Hickory handle

REN21SC - UPC(662560 210048)

Renegade Steel 21 oz. smooth face w/ 18" curved Hickory handle



REN21MC-E - UPC(662560 210123)
Renegade Steel 21 Oz. milled face w/ 18" curved epoxy coated handle
REN21SC-E - UPC(662560 210147)
Renegade Steel 21 Oz. smooth face w/ 18" curved epoxy coated handle



Steel Smooth Face



Steel Milled Face



Stiletto Replacement Handles

Fits Stiletto 21 Oz. Steel Renegade, Titan 14 Oz Titanium, and Titan 12 Oz Titanium:



STLHDL-C UPC (662560 900024) 18" Curved axe-style Hickory handle

STLHDL-S UPC (662560 900017) 18" Straight style Hickory handle

STLHDL-CE UPC (662560 900031)

18" Curved axe-style Epoxy Coated Hickory

STLHDL-SE UPC (662560 900048)

18" Straight style Epoxy Coated Hickory

STLHDL-C-16 UPC (662560 900144) 16" Curved axe-style Hickory handle

STLHDL-S-16 UPC (662560 900055) 16" Straight style Hickory handle

Fits Stiletto 16 Oz Titanium "Musclehead":



Fits Stiletto 10 Oz Titanium:



STLHDL-MHC UPC (662560 900079)
18" Curved axe-style Adze Hickory handle

STLHDL-MHS UPC (662560 900062) 18" Straight style Adze Hickory handle

STLFH-S UPC (662560 900116) 16" Curved axe-style Hickory handle

STLFH-C UPC (662560 900109) 14 1/2" Curved axe-style Hickory handle

AG-102 UPC (662560 901021) 2" x 8" 'cold-shrink' rubber grip tube

Warranty
30 day money back guarantee.
We warranty our products for one year from date-of-purchase for manufacturing defects only. We do not warranty normal wear to the head or handle, or for products showing severe abuse. Repairs to abused tools will be made at a reasonable cost. Call for details...

STILETTO TOOLS, INC.

174 East Broadway, Atwater, CA 95301 Tel: (209) 357 1932 Fax: (209) 357-2149

Customer service: (800) 987-1849 Website: www.stilettotools.com E-mail: info@stilettotools.com

USERS AND BYSTANDERS ALWAYS WEAR SAFETYY GLASSES